

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14	1288	(digital adj content) and (multiple near4 devices) and (networks)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:46
S16	636	S14 and (authenticat\$4) and (encrypt\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:47
S17	2	S16 and (time\$period or use \$limit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:48
S18	368	S16 and (pre\$determin\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:50
S20	324	S18 and (limit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:51
S23	366	S18 and (request, server, receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:58
S24	14	S23 and (content adj location)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 10:59
S25	41	S23 and (limit\$4 near2 usage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 11:03
S28	2348	(purchase) and (delivery) and (digital adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 11:13
S29	211	S28 and (wire\$less adj devices)and (networks)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 11:14
S30	128	S29 and (authenticat\$4) and (encrypt\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 11:14
S31	444	(remote near2 system)and (receiv\$4) with (code) and (content or data) adj key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 14:56
S32	194	S31 and (encrypt\$4) same (authorizat\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 14:57
S33	85	S32 and (first adj key) and (second adj key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 14:58
S34	18882	(remote adj device)and network	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:02

S35	4521	S34 and (receiv\$4) and encrypt\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:03
S36	125	S35 and (code or content) adj key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:04
S37	115	S36 and transmit\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:04
S38	86	S37 and authenticat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:05
S39	1543	S34 and (authorizat\$4 and (encrypt\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:13
S40	1990	(Authenticat\$4 and encrypting) and (digital adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:18
S41	285	S40 and (multiple near2 devices) and (networks)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:19
S42	272	S41 and (receiv\$4) and transmit\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:20
S43	32	S42 and (remote adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 15:20
S44	2539	(encrypt\$3 near2 content) and (content adj (provider server)) and (consumer receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:13
S45	104	(encrypt\$3 near2 content) and (content adj (provider server)) and (consumer receiver) and (access adj code)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:14
S46	26	(encrypt\$3 near2 content) and (content adj (provider server)) and (consumer receiver) and (access adj code) and ((purchase order) adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:15
S47	10	(encrypt\$3 near2 content) and (content adj (provider server)) and (consumer receiver) and (access adj code) and ((purchase order) adj content) and @ad<"20030813"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:17

S48	3	(content adj (provider server)) and (consumer receiver) and (access adj code) and (content adj requester)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:23
S49	75	(encrypt\$3 near2 content) and (content adj (provider server)) and (content adj (receiver or consumer)) and (content adj requester) and	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:29
S50	70	(encrypt\$3 near2 content) and (content adj (provider server)) and (content adj (receiver or consumer)) and (content adj requester) and (order adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:35
S51	70	(encrypt\$3 near2 content) and (content adj (provider server)) and (content adj (receiver or consumer)) and (content adj requester) and (order adj content) and (token)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:36
S52	104591	(authenticat\$4 authoriz\$4) and (content requester) and (content receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:53
S53	723831	S52 and (encrypt\$4) with (access adj code) key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:55
S54	424	S52 and (encrypt\$4) with (access adj code)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:55
S55	9	S52 and (encrypt\$4) with (access adj code) and (content adj key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:55
S56	59	(authenticat\$4 authoriz\$4) and (content adj requester) and (content adj receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 16:56
S57	5	(authenticat\$4 authoriz\$4) and (content adj server) and (content adj requester) and (content adj receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:00
S58	1704	(remote adj device) and (receiv\$4 near2 (access adj code) token) and key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:04
S59	1635	(remote adj device) and (network) and (receiv\$4 near2 (access adj code) token) and key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:05

S60	70	(remote adj device) and (network) and (receiv\$4 near2 (access adj code) token) and key and (limit adj (use access))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:06
S61	4	(remote adj device) and (network) and (receiv\$4 near2 (access adj code)) and key and (limit adj (use access))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:08
S62	22	(remote adj requester) and (receiver) and server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:17
S63	17	(first adj device) same (request\$4 adj content) and (second adj device) same (receiv\$4 adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:25
S64	3	(remote adj content adj request\$4) same (request\$4 adj content) and (content adj receiv\$3) same (receiv\$4 adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:30
S65	1	"5914941".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:31
S66	1	"5930765".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:32
S67	1070	(purchase) and (deliver\$4) same (digital adj content) and (devices) and networks	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:37
S68	702	(purchase) and (deliver\$4) same (digital adj content) and (devices) and (networks) and (authoriz\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:38
S69	610	(purchase) and (deliver\$4) same (digital adj content) and (devices) and (networks) and (authoriz\$4) and (encrypt \$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:38
S70	81	(purchase) and (deliver\$4) same (digital adj content) and (wireless adj devices) and (networks) and (authoriz \$4) and (encrypt\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/16 17:39
S71	2484	713/168.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/21 10:38
S72	1562	S71 and @ad<="20030813"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/21 10:38

S73	25	S72 and ((request\$4 download\$3) adj2 (device terminal)) with ((receiv\$4 download\$1destination) adj2 (terminal device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/21 10:40
S74	3	S72 and ((request\$4 download\$3) adj2 (device terminal)) with ((receiv\$4 download\$1destination) adj2 (terminal device)) with (content distribution adj server )	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/21 10:53
S75	3	((content data) adj (request \$3 terminal)) with ((receiv\$3 download\$4) adj (terminal device destination)) with ((content data distribution) adj (server)).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/21 11:06
S76	1	"20070033396".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/24 08:33
S84	1	wo-03061189-\$.did.	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:17
S85	1	"20020131594".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/26 10:59
S86	1	"20010056404".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 08:41
S87	1	"6233682".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 15:33
S88	1	"5583763".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 15:34
S89	1	"5991737".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 15:37
S90	1	"5727048".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 15:38
S91	1	"5594779".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 15:41
S92	1	"7353541".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 16:46

S93	1	"7392547".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 16:48
S94	1	"7426639".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 16:50
S95	1	"20020104019".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 16:51
S96	36	server near3 (generat\$4 with (content adj key))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 16:58
S97	484	713/176.cds. and (encrypt\$3 near3 content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:01
S98	0	S97 and (server near3 (generat\$3 near3 content adj key))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:02
S99	75	S97 and (server near3 (generat\$3 provid\$ near3 content adj key))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:03
S100	779	"713"/\$.cds. and (content near3 delivery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:06
S101	151	S100 and (encrypt\$3 near3 content) same (content adj key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:06
S102	1	"20020131594".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/01 17:17
S103	43	380/201.cds. and (content adj delivery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:10
S104	2002	705/51.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:10
S105	142	S104 and (content adj delivery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:10
S106	0	455/412.cds. and (digital adj content)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:11
S107	0	455/412.cds. and (content adj delivery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:11
S108	27	455/418.cds. and (content adj delivery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/03 09:12

12/ 3/ 2008 1:45:02 PM

C:\Documents and Settings\pvu3\Desktop\East Searches\10567271.wsp